Author index

Adams, R.L.P. *see* Pradhan, S.
Albert, H., Dale, E.C., Lee, E. and Ow, D.W. *Site-specific integration of DNA into wild-type and mutant* lox *sites placed in the plant genome* 649
Albertsen, M.C. *see* Deboo, G.B.
Alonso, E., de Carvalho Niebel, F., Obregón, P., Gheysen, G., Inzé, D., Van Montagu, M. and Castresana, C. *Differential* in vitro *DNA binding activity to a promoter element of the* gn1 β-*1,3-glucanase gene in hypersensitively reacting tobacco plants* 309
Angell, S.M. and Baulcombe, D.C. *Cell-to-cell movement of potato virus X revealed by microinjection of a viral vector tagged with the* β-*glucuronidase gene* 135
Ariza, M.J. *see* Delorme, V.
Arnott, H.J. *see* Webb, M.A.
Arundhati, A., Feiler, H., Traas, J., Zhang, H., Lunness, P.A. and Doonan, J.H. *A novel* Arabidopsis *type 1 protein phosphatase is highly expressed in male and female tissues and functionally complements a conditional cell cycle mutant of* Aspergillus 823

Bailey-Serres, J. *see* Fennoy, S.L.
Baker, B. *see* Osborne, B.I.
Barnes, S.A. *see* Paul, M.J.
Bartels, D. *see* Roncarati, R.
Bartels, D. *see* Taylor, J.E.
Baulcombe, D.C. *see* Angell, S.M.
Baulcombe, D.C. *see* Mueller, E.
Baulcombe, D.C., Chapman, S. and Santa Cruz, S. *Jellyfish green fluorescent protein as a reporter for virus infections* 1045
Beachy, R.N. *see* Yin, Y.
Behrens, U. *see* Boehm, U.
Benveniste, P. *see* Grausem, B.
Bergfeld, R. *see* Schindler, T.
Bernatzky, R. *see* Marcotrigiano, M.
Bevan, M. *see* Hatton, D.
Bewley, J.D. *see* Burton, R.A.
Bhattacharyya, M.K. *see* Burton, R.A.
Bianchi, M.W. *see* Decroocq-Ferrant, V.
Bockovich, N.J. *see* Bono, J.-J.
Boehm, U., Heinlein, M., Behrens, U. and Kunze, R. *One of three nuclear localization signals of maize* Activator (Ac) *transposase overlaps the DNA-binding domain* 441
Bohlmann, J., DeLuca, V., Eilert, U. and Martin, W. *Purification and cDNA cloning of anthranilate synthase from* Ruta graveolens*: modes of expression and properties of native and recombinant enzymes* 491
Boldt, R. and Scandalios, J.G. *Circadian regulation of the* Cat3 *catalase gene in maize (*Zea mays *L.): entrainment of the circadian rhythm of* Cat3 *by different light treatments* 989
Boller, T. *see* Felix, G.
Bono, J.-J., Riond, J., Nicolaou, K.C., Bockovich, N.J., Estevez, V.A., Cullimore, J.V. and Ranjeva, R. *Characterization of a binding site for chemically synthesized lipo-oligosaccharidic NodRm factors in particulate fractions prepared from roots* 253
Bosseux, C. *see* Véry, A.-A.
Boyd, L.A., Smith, P.H., Foster, E.M. and Brown, J.K.M. *The effects of allelic variation at the* Mla *resistance locus in barley on the early development of* Erysiphe graminis *f.sp.* hordei *and host responses* 959
Brigneti, G. *see* Mueller, E.
Brown, J.K.M. *see* Boyd, L.A.
Bull, V. *see* Burton, R.A.
Burton, R.A., Bewley, J.D., Smith, A.M., Bhattacharyya, M.K., Tatge, H., Ring, S., Bull, V., Hamilton, W.D.O. and Martin, C. *Starch branching enzymes belonging to distinct enzyme families are differentially expressed during pea embryo development* 3

Caboche, M. *see* Traas, J.
Carpenter, R. *see* Mooney, M.
Carpita, N.C. *see* Webb, M.A.
Casacuberta, J.M. *see* Raventós, D.
Castresana, C. *see* Alonso, E.
Cavaletto, J.M. *see* Webb, M.A.
Chapman, S. *see* Baulcombe, D.C.
Chappell, J. *see* Zhu, Q.
Chaubet, N. *see* Grausem, B.
Chaubet, N. *see* Reichheld, J.-P.
Clément, B. *see* Reichheld, J.-P.
Cock, J.M. *see* Delorme, V.
Coen, E. *see* Mooney, M.
Cooper, W. *see* John, I.
Copenhaver, G.P., Doelling, J.H., Gens, J.S. and Pikaard, C.S. *Use of RFLPs larger than 100 kbp to map the position and internal organization of the nucleolus organizer region on chromosome 2 in* Arabidopsis thaliana 273
Cormier, M.J. *see* Mayerhofer, R.
Coruzzi, G.M. *see* Schultz, C.J.
Cruz-Alvarez, M. *see* Martínez-Zapater, J.M.
Cui, D. *see* Ni, M.
Cullimore, J.V. *see* Bono, J.-J.
Czaja, I. *see* Fritze, K.

Dale, E.C. *see* Albert, H.
Das, O.P. *see* Lund, G.
Davenport, G. *see* Mueller, E.
de Carvalho Niebel, F. *see* Alonso, E.
de Vetten, N. *see* Souer, E.
de Vetten, N.C. and Ferl, R.J. *Characterization of a maize G-box binding factor that is induced by hypoxia* 589
de Vries, S.C. *see* Decroocq-Ferrant, V.
Deboo, G.B., Albertsen, M.C. and Taylor, L.P. *Flavanone 3-hydroxylase transcripts and flavonol accumulation are temporally coordinate in maize anthers* 703
Decroocq-Ferrant, V., Van Went, J., Bianchi, M.W., de Vries, S.C. and Kreis, M. Petunia hybrida *homologues of shaggy/zeste-white 3 expressed in female and male reproductive organs* 897
Delauney, A.J. *see* Kim, J.H.
Delmer, D.P. *see* Potikha, T.
Delorme, V., Giranton, J.-L., Hatzfeld, Y., Friry, A., Heizmann, P., Ariza, M.J., Dumas, C., Gaude, T. and Cock, J.M. *Characterization of the* S *locus genes,* SLG *and* SRK*, of the* Brassica S3 *haplotype: identification of a membrane-localized protein encoded by the* S *locus receptor kinase gene* 429
DeLuca, V. *see* Bohlmann, J.
Desnos, T. *see* Mooney, M.
Dias, K. *see* Frisch, D.A.
Ding, X. *see* Zhang, H.-B.
Doelling, J.H. *see* Copenhaver, G.P.
Dolézel, J. *see* Pich, U.
Doonan, J.H. *see* Arundhati, A.

Drake, R. *see* John, I.
Dumas, C. *see* Delorme, V.

Eilert, U. *see* Bohlmann, J.
Einstein, J. *see* Ni, M.
Emmler, K. *see* Kretsch, T.
Estelle, M. *see* Hobbie, L.
Estevez, V.A. *see* Bono, J.-J.
Expert, D. *see* Masclaux, C.

Farrell, A. *see* John, I.
Feiler, H. *see* Arundhati, A.
Felix, G. and Boller, T. *Systemin induces rapid ion fluxes and ethylene biosynthesis in* Lycopersicon peruvianum *cells* 381
Felle, H.H., Kondorosi, É., Kondorosi, Á. and Schultze, M. *Nod signal-induced plasma membrane potential changes in alfalfa root hairs are differentially sensitive to structural modifications of the lipochitooligosaccharide* 939
Fennoy, S.L. and Bailey-Serres, J. *Post-transcriptional regulation of gene expression in oxygen-deprived roots of maize* 287
Ferl, R.J. *see* de Vetten, N.C.
Feussner, I., Hause, B., Vörös, K., Parthier, B. and Wasternack, C. *Jasmonate-induced lipoxygenase forms are localized in chloroplasts of barley leaves (*Hordeum vulgare *cv. Salome)* 949
Fincher, G.B. *see* Høj, P.B.
Fischer, K. *see* Mozo, T.
Flügge, U.I. *see* Mozo, T.
Foster, E.M. *see* Boyd, L.A.
Foyer, C.H. *see* Strohm, M.
Franke-van Dijk, M.E.I. *see* Risseeuw, E.
Franklin, S.E., Zwick, M.G. and Johnson, J.D. *Characterization and partial purification of two pre-tRNA 5′-processing activities from* Daucus carrota *(carrot) suspension cells* 553
Franzmann, L.H., Yoon, E.S. and Meinke, D.W. *Saturating the genetic map of* Arabidopsis thaliana *with embryonic mutations* 341
Friry, A. *see* Delorme, V.
Frisch, D.A., van der Geest, A.H.M., Dias, K. and Hall, T.C. *Chromosomal integration is required for spatial regulation of expression from the β-phaseolin promoter* 503
Fritze, K., Czaja, I. and Walden, R. *T-DNA tagging of genes influencing polyamine metabolism: isolation of mutant plant lines and rescue of DNA promoting growth in the presence of a polyamine biosynthetic inhibitor* 261
Furini, A. *see* Taylor, J.E.
Fuse, T., Kodama, H., Hayashida, N., Shinozaki, K., Nishimura, M. and Iba, K. *A novel Ti-plasmid-convertible λ phage vector system suitable for gene isolation by genetic complementation of* Arabidopsis thaliana *mutants* 849

Gao, J.-P. *see* Wang, Z.-Y.
Gaude, T. *see* Delorme, V.
Gaymard, F. *see* Véry, A.-A.
Gelvin, S.B. *see* Ni, M.
Gens, J.S. *see* Copenhaver, G.P.
Gheysen, G. *see* Alonso, E.
Gigot, C. *see* Grausem, B.
Gigot, C. *see* Reichheld, J.-P.
Gilbert, J. *see* Mueller, E.
Giranton, J.-L. *see* Delorme, V.
Grasser, K.D. *Plant chromosomal high mobility group (HMG) proteins* 185
Grausem, B., Chaubet, N., Gigot, C., Loper, J.C. and Benveniste, P. *Functional expression of* Saccharomyces cerevisiae CYP51A1 *encoding lanosterol-14-demethylase in tobacco results in bypass of endogenous sterol biosynthetic pathway and resistance to an obtusifoliol-14-demethylase herbicide inhibitor* 761
Gray, J.C. *see* Paul, M.J.
Grierson, D. *see* John, I.

Habash, D. *see* Paul, M.J.
Hall, T.C. *see* Frisch, D.A.
Hamasuna, S. *see* Hattori, T.
Hamilton, W.D.O. *see* Burton, R.A.
Hara-Nishimura, I. *see* Inoue, K.
Harada, Y. *see* Yoshiba, Y.
Haring, M.A., Siderius, M., Jonak, C., Walton, K.M. and Musgrave, A. *Tyrosine phosphatase signalling in a lower plant: cell-cycle and oxidative stress-regulated expression of the* Chlamydomonas eugametos VH-PTP13 *gene* 981
Harrison, K. *see* Mooney, M.
Hasan, O. *see* Ross, J.J.
Hatton, D., Sablowski, R., Yung, M.-H., Smith, C., Schuch, W. and Bevan, M. *Two classes of* cis *sequences contribute to tissue-specific expression of a* PAL2 *promoter in transgenic tobacco* 859
Hattori, T., Terada, T. and Hamasuna, S. *Regulation of the* Osem *gene by abscisic acid and the transcriptional activator VP1: analysis of* cis*-acting promoter elements required for the regulation by abscisic acid and VP1* 913
Hatzfeld, Y. *see* Delorme, V.
Hause, B. *see* Feussner, I.
Hayashi, K. *see* Ohto, M.
Hayashida, N. *see* Fuse, T.
Hedden, P. *see* Ross, J.J.
Hedrick, S.A. *see* Zhu, Q.
Heinlein, M. *see* Boehm, U.
Heizmann, P. *see* Delorme, V.
Hetherington, A.M. *see* Taylor, J.E.
Hobbie, L. and Estelle, M. *The* axr4 *auxin-resistant mutants of* Arabidopsis thaliana *define a gene important for root gravitropism and lateral root initiation* 211
Hohn, B. *see* Puchta, H.
Høj, P.B. and Fincher, G.B. *Molecular evolution of plant β-glucan endohydrolases* 367
Holsten, T.E. *see* Wang, G.-L.
Hong, M.-M. *see* Wang, Z.-Y.
Hooykaas, P.J.J. *see* Risseeuw, E.
Horton, P. *see* John, I.
Huang, A.H.C. *see* Lee, K.
Hülskamp, M. *see* Schneitz, K.

Iba, K. *see* Fuse, T.
Inoue, K., Motozaki, A., Takeuchi, Y., Nishimura, M. and Hara-Nishimura, I. *Molecular characterization of proteins in protein-body membrane that disappear most rapidly during transformation of protein bodies into vacuoles* 235
Inzé, D. *see* Alonso, E.
Isobe, M. *see* Ohto, M.

Jarillo, J.A. *see* Martínez-Zapater, J.M.
Jensen, A.B. *see* Raventós, D.
Johansson, F., Olbe, M., Sommarin, M. and Larsson, C. *Brij 58, a polyoxyethylene acyl ether, creates membrane vesicles of uniform sidedness. A new tool to obtain inside-out (cytoplasmic side-out) plasma membrane vesicles* 165

John, I., Drake, R., Farrell, A., Cooper, W., Lee, P., Horton, P. and Grierson, D. *Delayed leaf senescence in ethylene-deficient ACC-oxidase antisense tomato plants: molecular and physiological analysis* 483
Johnson, J.D. *see* Franklin, S.E.
Jonak, C. *see* Haring, M.A.
Jones, D. *see* Re, E.B.
Jones, J. *see* Mooney, M.
Jouanin, L. *see* Strohm, M.
Jullien, M. *see* Traas, J.

Kaldenhoff, R., Kölling, A., Meyers, J., Karmann, U., Ruppel, G. and Richter, G. *The blue light-responsive* AthH2 *gene of* Arabidopsis thaliana *is primarily expressed in expanding as well as in differentiating cells and encodes a putative channel protein of the plasmalemma* 87
Kano-Murakami, Y. *see* Tamaoki, M.
Karmann, U. *see* Kaldenhoff, R.
Katagiri, T. *see* Yoshiba, Y.
Kayano, T. *see* Tamaoki, M.
Kende, H. *see* Sauter, M.
Kim, J.H., Delauney, A.J. and Verma, D.P.S. *Control of* de novo *purine biosynthesis genes in ureide-producing legumes: induction of glutamine phosphoribosylpyrophosphate amidotransferase gene and characterization of its cDNA from soybean and* Vigna 77
Kiyosue, T. *see* Yoshiba, Y.
Knight, J.S. *see* Paul, M.J.
Kodama, H. *see* Fuse, T.
Koes, R. *see* Souer, E.
Kolattukudy, P.E. *see* Pyee, J.
Kölling, A. *see* Kaldenhoff, R.
Kondorosi, Á. *see* Felle, H.H.
Kondorosi, É. *see* Felle, H.H.
Kosugi, S., Suzuka, I. and Ohashi, Y. *Two of three promoter elements identified in a rice gene for proliferating cell nuclear antigen are essential for meristematic tissue-specific expression* 877
Kreis, M. *see* Decroocq-Ferrant, V.
Kretsch, T., Emmler, K. and Schäfer, E. *Spatial and temporal pattern of light-regulated gene expression during tobacco seedling development: the photosystem II-related genes* Lhcb (Cab) *and* PsbP (Oee2) 715
Kruger, N.J. *see* Scott, P.
Kunert, K.J. *see* Strohm, M.
Kunze, R. *see* Boehm, U.

Lam, E. *see* Miao, Z.-H.
Lamb, C.L. *see* Zhu, Q.
Lange, A.J. *see* Scott, P.
Langridge, W.H.R. *see* Mayerhofer, R.
Larsson, C. *see* Johansson, F.
Laufs, P. *see* Traas, J.
Lawlor, D.W. *see* Paul, M.J.
Learned, R.M. *see* Re, E.B.
Lee, E. *see* Albert, H.
Lee, K., Ratnayake, C. and Huang, A.H.C. *Genetic dissection of the co-expression of genes encoding the two isoforms of oleosins in the oil bodies of maize kernel* 603
Lee, P. *see* John, I.
Li, M.-G. *see* Wang, Z.-Y.
Liu, Y.-G., Mitsukawa, N., Vazquez-Tello, A. and Whittier, R.F. *Generation of a high-quality P1 library of* Arabidopsis *suitable for chromosome walking* 351
Lloyd, C.W. *see* Yuan, M.
Loper, J.C. *see* Grausem, B.
Lopez, L.E. *see* Webb, M.A.
Loynes, A. *see* Paul, M.J.
Lucretti, S. *see* Pich, U.
Lund, G., Das, O.P. and Messing, J. *Tissue-specific DNase I-sensitive sites of the maize* P *gene and their changes upon epimutation* 797
Lunness, P.A. *see* Arundhati, A.

Macas, J. *see* Pich, U.
Machida, C. *see* Ohba, T.
Machida, Y. *see* Ohba, T.
MacRobbie, E.A.C. *ABA-induced ion efflux in stomatal guard cells: multiple actions of ABA inside and outside the cell* 565
MacRobbie, E.A.C. *Effects of ABA on* $^{86}Rb^{+}$ *fluxes at plasmalemma and tonoplast of stomatal guard cells* 835
Maliga, P. *see* Staub, J.M.
Marcotrigiano, M. and Bernatzky, R. *Arrangement of cell layers in the shoot apical meristems of periclinal chimeras influences cell fate* 193
Marcotte Jr, W.R. *see* Taylor, J.E.
Martin, C. *see* Burton, R.A.
Martin, W. *see* Bohlmann, J.
Martínez-Zapater, J.M., Jarillo, J.A., Cruz-Alvarez, M., Roldán, M. and Salinas, J. Arabidopsis *late-flowering* fve *mutants are affected in both vegetative and reproductive development* 543
Masclaux, C. and Expert, D. *Signalling potential of iron in plant–microbe interactions: the pathogenic switch of iron transport in* Erwinia chrysanthemi 121
Matsuoka, M. *see* Tamaoki, M.
Mayerhofer, R., Langridge, W.H.R., Cormier, M.J. and Szalay, A.A. *Expression of* recombinant Renilla *luciferase in transgenic plants results in high levels of light emission* 1031
McAinsh, M.R. *see* Taylor, J.E.
Meinke, D.W. *see* Franzmann, L.H.
Meister, A. *see* Pich, U.
Mekhedov, S.L. *see* Sauter, M.
Messing, J. *see* Lund, G.
Meuwly, P., Thibault, P., Schwan, A.L. and Rauser, W.E. *Three families of thiol peptides are induced by cadmium in maize* 391
Meyers, J. *see* Kaldenhoff, R.
Miao, Z.-H. and Lam, E. *Construction of a* trans*-dominant inhibitor for members of the TGA family of transcription factors conserved in higher plants* 887
Miao, Z.-H. and Lam, E. *Targeted disruption of the TGA3 locus in* Arabidopsis thaliana 359
Minami, E. *see* Tamaoki, M.
Mitsukawa, N. *see* Liu, Y.-G.
Mizoguchi, T. *see* Yoshiba, Y.
Mol, J. *see* Souer, E.
Mooney, M., Desnos, T., Harrison, K., Jones, J., Carpenter, R. and Coen, E. *Altered regulation of tomato and tobacco pigmentation genes caused by the* delila *gene of* Antirrhinum 333
Motozaki, A. *see* Inoue, K.
Mozo, T., Fischer, K., Flügge, U.I. and Schmitz, U.K. *The N-terminal extension of the ADP/ATP translocator is not involved in targeting to plant mitochondria* in vivo 1015
Mueller, E., Gilbert, J., Davenport, G., Brigneti, G. and

Baulcombe, D.C. *Homology-dependent resistance: transgenic virus resistance in plants related to homology-dependent gene silencing* 1001
Mundy, J. *see* Raventós, D.
Musgrave, A. *see* Haring, M.A.

Nakamura, K. *see* Ohto, M.
Narasimhulu, S. *see* Ni, M.
Ni, M., Cui, D., Einstein, J., Narasimhulu, S., Vergara, C.E. and Gelvin, S.B. *Strength and tissue specificity of chimeric promoters derived from the octopine and mannopine synthase genes* 661
Nicolaou, K.C. *see* Bono, J.-J.
Nishimura, M. *see* Fuse, T.
Nishimura, M. *see* Inoue, K.

Obregón, P. *see* Alonso, E.
Oeller, P.W. and Theologis, A. *Induction kinetics of the nuclear proteins encoded by the early indoleacetic acid-inducible genes,* PS-IAA4/5 *and* PS-IAA6, *in pea (*Pisum sativum *L.)* 37
Offringa, R. *see* Risseeuw, E.
Ohashi, Y. *see* Kosugi, S.
Ohba, T., Yoshioka, Y., Machida, C. and Machida, Y. *DNA rearrangement associated with the integration of T-DNA in tobacco: an example for multiple duplications of DNA around the integration target* 157
Ohlrogge, J.B. *see* Shintani, D.K.
Ohto, M., Hayashi, K., Isobe, M. and Nakamura, K. *Involvement of Ca^{2+} signalling in the sugar-inducible expression of genes coding for sporamin and β-amylase of sweet potato* 297
Olbe, M. *see* Johansson, F.
Osborne, B.I., Wirtz, U. and Baker, B. *A system for insertional mutagenesis and chromosomal rearrangement using the Ds transposon and Cre–lox* 687
Ow, D.W. *see* Albert, H.

Parry, M.A.J. *see* Paul, M.J.
Parthier, B. *see* Feussner, I.
Paterson, A.H. *see* Zhang, H.-B.
Paul, M.J., Knight, J.S., Habash, D., Parry, M.A.J., Lawlor, D.W., Barnes, S.A., Loynes, A. and Gray, J.C. *Reduction in phosphoribulokinase activity by antisense RNA in transgenic tobacco: effect on CO_2 assimilation and growth in low irradiance* 535
Pich, U., Meister, A., Macas, J., Doležel, J., Lucretti, S. and Schubert, I. *Primed* in situ *labelling facilitates flow sorting of similar sized chromosomes* 1039
Pikaard, C.S. *see* Copenhaver, G.P.
Pilkis, S.J. *see* Scott, P.
Polle, A. *see* Strohm, M.
Poole, A.T. *see* Ross, J.J.
Potikha, T. and Delmer, D.P. *A mutant of* Arabidopsis thaliana *displaying altered patterns of cellulose deposition* 453
Pradhan, S. and Adams, R.L.P. *Distinct CG and CNG DNA methyltransferases in* Pisum sativum 471
Pruitt, R.E. *see* Schneitz, K.
Pruvost, C. *see* Strohm, M.
Puchta, H., Swoboda, P. and Hohn, B. *Induction of interchromosomal homologous recombination in whole plants* 203
Pyee, J. and Kolattukudy, P.E. *The gene for the major cuticular wax-associated protein and three homologous genes from broccoli* (Brassica oleracea) *and their expression patterns* 49

Quail, P.H. *see* Somers, D.E.
Quatrano, R.S. *see* Taylor, J.E.
Quattrocchio, F. *see* Souer, E.

Ranjeva, R. *see* Bono, J.-J.
Rask, M.-B. *see* Raventós, D.
Ratnayake, C. *see* Lee, K.
Rauser, W.E. *see* Meuwly, P.
Raventós, D., Jensen, A.B., Rask, M.-B., Casacuberta, J.M., Mundy, J. and San Segundo, B. *A 20 bp cis-acting element is both necessary and sufficient to mediate elicitor response of a maize* PRms *gene* 147
Re, E.B., Jones, D. and Learned, R.M. *Co-expression of native and introduced genes reveals cryptic regulation of HMG CoA reductase expression in* Arabidopsis 771
Reichheld, J.-P., Sonobe, S., Clément, B., Chaubet, N. and Gigot, C. *Cell cycle-regulated histone gene expression in synchronized plant cells* 245
Reid, J.B. *see* Ross, J.J.
Rennenberg, H. *see* Strohm, M.
Renwick, K.F. *see* Taylor, J.E.
Richter, G. *see* Kaldenhoff, R.
Ring, S. *see* Burton, R.A.
Riond, J. *see* Bono, J.-J.
Risseeuw, E., Offringa, R., Franke-van Dijk, M.E.I. and Hooykaas, P.J.J. *Targeted recombination in plants using* Agrobacterium *coincides with additional rearrangements at the target locus* 109
Rogers, J.C. and Rogers, S.W. *Comparison of the effects of N^6-methyldeoxyadenosine and N^5-methyldeoxycytosine on transcription from nuclear gene promoters in barley* 221
Rogers, S.W. *see* Rogers, J.C.
Roldán, M. *see* Martínez-Zapater, J.M.
Ronald, P.C. *see* Wang, G.-L.
Roncarati, R., Salamini, F. and Bartels, D. *An aldose reductase homologous gene from barley: regulation and function* 809
Ross, J.J., Reid, J.B., Swain, S.M., Hasan, O., Poole, A.T., Hedden, P. and Willis, C.L. *Genetic regulation of gibberellin deactivation in* Pisum 513
Ruppel, G. *see* Kaldenhoff, R.

Sablowski, R. *see* Hatton, D.
Salamini, F. *see* Roncarati, R.
Salanoubat, M. *see* Zrenner, R.
Salinas, J. *see* Martínez-Zapater, J.M.
San Segundo, B. *see* Raventós, D.
Santa Cruz, S. *see* Baulcombe, D.C.
Sauter, M., Mekhedov, S.L. and Kende, H. *Gibberellin promotes histone H1 kinase activity and the expression of* cdc2 *and cyclin genes during the induction of rapid growth in deepwater rice internodes* 623
Scandalios, J.G. *see* Boldt, R.
Schäfer, E. *see* Kretsch, T.
Schindler, T., Bergfeld, R. and Schopfer, P. *Arabinogalactan proteins in maize coleoptiles: developmental relationship to cell death during xylem differentiation but not to extension growth* 25
Schmitz, U.K. *see* Mozo, T.
Schneitz, K., Hülskamp, M. and Pruitt, R.E. *Wild-type ovule development in* Arabidopsis thaliana: *a light microscope study of cleared whole-mount tissue* 731
Schopfer, P. *see* Schindler, T.
Schubert, I. *see* Pich, U.

Schuch, W. *see* Hatton, D.
Schultz, C.J. and Coruzzi, G.M. *The aspartate aminotransferase gene family of* Arabidopsis *encodes isoenzymes localized to three distinct subcellular compartments* 61
Schultze, M. *see* Felle, H.H.
Schwan, A.L. *see* Meuwly, P.
Scott, P., Lange, A.J., Pilkis, S.J. and Kruger, N.J. *Carbon metabolism in leaves of transgenic tobacco (*Nicotiana tabacum *L.) containing elevated fructose 2,6-bisphosphate levels* 461
Seedorf, M., Waegemann, K. and Soll, J. *A constituent of the chloroplast import complex represents a new type of GTP-binding protein* 401
Sentenac, H. *see* Véry, A.-A.
Shaw, P.J. *see* Yuan, M.
Shen, G.-Z. *see* Wang, Z.-Y.
Shinozaki, K. *see* Fuse, T.
Shinozaki, K. *see* Yoshiba, Y.
Shintani, D.K. and Ohlrogge, J.B. *Feedback inhibition of fatty acid synthesis in tobacco suspension cells* 577
Siderius, M. *see* Haring, M.A.
Smith, A.M. *see* Burton, R.A.
Smith, C. *see* Hatton, D.
Smith, P.H. *see* Boyd, L.A.
Snustad, D.P. *see* Wang, Z.-Y.
Soll, J. *see* Seedorf, M.
Somers, D.E. and Quail, P.H. *Temporal and spatial expression patterns of* PHYA *and* PHYB *genes in* Arabidopsis 413
Sommarin, M. *see* Johansson, F.
Song, W.-Y. *see* Wang, G.-L.
Sonnewald, U. *see* Zrenner, R.
Sonobe, S. *see* Reichheld, J.-P.
Souer, E., Quattrocchio, F., de Vetten, N., Mol, J. and Koes, R. *A general method to isolate genes tagged by a high copy number transposable element* 677
Staub, J.M. and Maliga, P. *Expression of a chimeric* uidA *gene indicates that polycistronic mRNAs are efficiently translated in tobacco plastids* 845
Strohm, M., Jouanin, L., Kunert, K.J., Pruvost, C., Polle, A., Foyer, C.H. and Rennenberg, H. *Regulation of glutathione synthesis in leaves of transgenic poplar* (Populus tremula *x* P. alba) *overexpressing glutathione synthetase* 141
Suzuka, I. *see* Kosugi, S.
Swain, S.M. *see* Ross, J.J.
Swoboda, P. *see* Puchta, H.
Szalay, A.A. *see* Mayerhofer, R.

Takeuchi, Y. *see* Inoue, K.
Tamaoki, M., Tsugawa, H., Minami, E., Kayano, T., Yamamoto, N., Kano-Murakami, Y. and Matsuoka, M. *Alternative RNA products from a rice homeobox gene* 927
Tatge, H. *see* Burton, R.A.
Taylor, J.E., Renwick, K.F., Webb, A.A.R., McAinsh, M.R., Furini, A., Bartels, D., Quatrano, R.S., Marcotte Jr., W.R. and Hetherington, A.M. *ABA-regulated promoter activity in stomatal guard cells* 129
Taylor, L.P. *see* Deboo, G.B.
Terada, T. *see* Hattori, T.
Theologis, A. *see* Oeller, P.W.
Thibaud, J.-B. *see* Véry, A.-A.
Thibault, P. *see* Meuwly, P.
Traas, J. *see* Arundhati, A.
Traas, J., Laufs, P., Jullien, M. and Caboche, M. *A mutation affecting etiolation and cell elongation in* Nicotiana plumbaginifolia *causes abnormal division plane alignment and pattern formation in the root meristem* 785
Tsugawa, H. *see* Tamaoki, M.

Ueda, H. *see* Yoshiba, Y.

van der Geest, A.H.M. *see* Frisch, D.A.
Van Montagu, M. *see* Alonso, E.
Van Went, J. *see* Decroocq-Ferrant, V.
Vazquez-Tello, A. *see* Liu, Y.-G.
Vergara, C.E. *see* Ni, M.
Verma, D.P.S. *see* Kim, J.H.
Véry, A.-A., Gaymard, F., Bosseux, C., Sentenac, H. and Thibaud, J.-B. *Expression of a cloned plant K^+ channel in* Xenopus *oocytes: analysis of macroscopic currents* 321
Vörös, K. *see* Feussner, I.

Wada K. *see* Yoshiba, Y.
Waegemann, K. *see* Seedorf, M.
Walden, R. *see* Fritze, K.
Walton, K.M. *see* Haring, M.A.
Wang, G.-L., Holsten, T.E., Song, W.-Y., Wang, H.-P. and Ronald, P.C. *Construction of a rice bacterial artificial chromosome library and identification of clones linked to the* Xa-21 *disease resistance locus* 525
Wang, H.-P. *see* Wang, G.-L.
Wang, Z.-Y., Zheng, F.-Q., Shen, G.-Z., Gao, J.-P., Snustad, D.P., Li, M.-G., Zhang, J.-L. and Hong, M.-M. *The amylose content in rice endosperm is related to the post-transcriptional regulation of the* waxy *gene* 613
Warn, R.M. *see* Yuan, M.
Wasternack, C. *see* Feussner, I.
Webb, A.A.R. *see* Taylor, J.E.
Webb, M.A., Cavaletto, J.M., Carpita, N.C., Lopez, L.E. and Arnott, H.J. *The intravacuolar organic matrix associated with calcium oxalate crystals in leaves of* Vitis 633
Whittier, R.F. *see* Liu, Y.-G.
Willis, C.L. *see* Ross, J.J.
Willmitzer, L. *see* Zrenner, R.
Wing, R.A. *see* Zhang, H.-B.
Wirtz, U. *see* Osborne, B.I.

Yamaguchi-Shinozaki, K. *see* Yoshiba, Y.
Yamamoto, N. *see* Tamaoki, M.
Yin, Y. and Beachy, R.N. *The regulatory regions of the rice tungro bacilliform virus promoter and interacting nuclear factors in rice (*Oryza sativa *L.)* 969
Yoon, E.S. *see* Franzmann, L.H.
Yoshiba, Y., Kiyosue, T., Katagiri, T., Ueda, H., Mizoguchi, T., Yamaguchi-Shinozaki, K., Wada, K., Harada, Y. and Shinozaki, K. *Correlation between the induction of a gene for Δ^1-pyrroline-5-carboxylate synthetase and the accumulation of proline in* Arabidopsis thaliana *under osmotic stress* 751
Yoshioka, Y. *see* Ohba, T.
Yuan, M., Warn, R.M., Shaw, P.J. and Lloyd, C.W. *Dynamic microtubules under the radial and outer tangential walls of microinjected pea epidermal cells observed by computer reconstruction* 17
Yung, M.-H. *see* Hatton, D.

Zhang, H. *see* Arundhati, A.
Zhang, H.-B., Zhao, X., Ding, X., Paterson, A.H. and Wing, R.A. *Preparation of megabase-size DNA from plant nuclei* 175
Zhang, J.-L. *see* Wang, Z.-Y.

Zhao, X. *see* Zhang, H.-B.
Zheng, F.-Q. *see* Wang, Z.-Y.
Zhu, Q., Chappell, J., Hedrick, S.A. and Lamb, C. *Accurate in vitro transcription from circularized plasmid templates by plant whole cell extracts* 1021
Zrenner, R., Salanoubat, M., Willmitzer, L. and Sonnewald, U. *Evidence of the crucial role of sucrose synthase for sink strength using transgenic potato plants (*Solanum tuberosum *L.) 97*
Zwick, M.G. *see* Franklin, S.E.

Subject index

α-amylase gene 221
A/T-rich DNA 185
abscisic acid 129, 565, 835
Ac 441
ACC oxidase 483
adenine nucleotide translocator 287
ADP/ATP translocator 1015
aequorin 297
Agrobacterium tumefaciens 109, 157, 661
alcohol dehydrogenase 287
aldose reductase 809
alkalinization response 381
alternative
  promoter 927
  splicing 927
amylose content 613
anoxia 287
anthanilate synthase 491
anthers 193, 703
anthocyanin 703
Antirrhinum 333
antisense
  RNA 97
  tomato plants 483
Arabidopsis 61, 211, 321, 359, 413, 543, 731, 823, 949
  thaliana 87, 203, 341, 351, 453, 761, 771, 849
arabinogalactan protein 25
aspartate aminotransferase 61
Aspergillus 823
auxin 25, 211

β-1,3-glucanase promoter 309
β-glucan endohydrolases 367
β-glucuronidase 135, 203, 441
BAC 525
bacterial artificial chromosome 175
barley embryo 809
bilayer couple hypothesis 165
binding 253
bioluminescence 1031
biophysics 193
bivariate sorting 1039
blue light 87
Brassica 429
Brij 58 165
bZIP proteins 887

Ca^{2+}-signalling 297
calcium 633
carbohydrate metabolism 97
carrot protoplasts 553
Cat3 gene 989
catalase 989
cdc2 623
cDNA cloning 491
cell
  cycle 245, 623, 823, 981
  death 959
  expansion 17
  lineage 193
  wall 25
cellulose 453
cer9 gene 351
CHEF 273
chimeras 193
chitooligosaccharide 939
Chlamydomonas 981
chlorophyll fluorescence 483
chloroplast 401, 949, 1015
chloroplasts 61
chromatin 185, 221, 503, 797
chromosomal DNA 157
chromosome walking 351, 525, 849
circadian regulation 989
circular template 1021
CNG methylation 471
coat protein 1045
confocal
  laser 17
  laser scanning microscopy 1045
  microscopy 731
control systems 565
Cre–*lox* 649
  site-specific recombination 849
cyclin 623

deactivation 513
defence genes 959
defense-related gene expression 309
delila gene 333
development 731
DNA
  methylation 797
  methyltransferase 471
  rearrangement 157
  rearrangements 109
  transformation 649
DNA-bending 185
DNA-binding 185
  motifs 309
  proteins 589, 887
DNase I
  footprinting 969
  sensitivity 797
domain swapping 927
Ds Cre–*lox* selectable transposition 687
dTph1 677
dynamic instability 17

early genes 37
embryo
  sac 897
  specific promoter 809
embryonic mutations 341
endosperm 731
epidermis 17, 49
Erwinia chrysanthemi 121
Erysiphe graminis f.sp. *hordei* 959
ethylene 483
expression 245
extension growth 25

fatty acid synthesis 577
feedback inhibition 577
flavanone 3-hydroxylase 703
flavonols 703

floral transition 543
flow cytometric karyotyping 1039
flowering 823
FokI sequence element 1039
fructose 2,6-bisphosphate 461
fungus 147

γ-glutamylcysteine 391
γ-glutamylcysteinylglutamic acid 391
gamete origin 193
GBF 589
gel retardation assay 969
gene
  conversion 109
  expression 87, 287, 297, 413, 483, 859, 897, 989
  family 37
  induction 77
  regulation 589
  targeting 109, 359, 649
genetic
  engineering 649
  map 341
  mosaics 193
genome analysis 175
genomic library 351
gibberellin 623
  response element 221
gibberellins 513
glutathione 391
  synthetase 141
Glycine max 77
glycoprotein 429
gravitropism 211
GSK-3 897
GTP-binding protein 401
guard cells 565, 835
GUS 413, 503
gus screening 359

H^+ pumping 165
H^+-ATPase 165
herbicide 761
heterodimers 887
high mobility group (HMG) protein 185
high molecular weight DNA 175, 525
histone
  genes 245
  H1 kinase 623
HMG CoA reductase 771
homeobox gene 927
homologous recombination 109, 203
Hordeum vulgare 949, 959
host-specificity 939
hypersensitive response 959

immunocytochemical staining 949
in vitro mutagenesis 809
inside-out vesicles 165
inversion 687
inward-rectifying 321
ion channels 565, 835
ionic regulation 565
IPCR 677
iron 121

isoenzyme 61
isoforms 3

jasmonate-induced lipoxygenase 949

K^+
  channel 321
  efflux 381

λ phage 849
labile nuclear proteins 37
lanosterol-14-demethylase 761
late flowering mutants 543
lateral roots 211
leaf
  development 193
  senescence 483
light harvesting chlorophyll *a/b*-binding protein 715
linkage assignment 341
lipid transfer protein 49
lipo-oligosaccharide signal 253

maize 147, 287, 703, 989
  coleoptile 25
  oleosin 603
map-based cloning 525
mas promoter 661
Medicago
  sativa 939
  truncatula 253
membrane protein 87, 235
metabolism 461
metal detoxification 391
methylcytosine 471
mgbg 261
micro-injection 135
microspore 897
microtubules 17
mitochondria 61, 1015
molecular evolution 367
movement protein 135
multigene family 49
mutant 211
mutants 513
Myb transcription factors 859

Nicotiana 535
  clevelandii 135
  plumbaginifolia 785
  tabacum 109
nitrogen
  assimilation 77
  metabolism 61
nodulation 939
nuclear
  factor 969
  targeting 441

obtusifoliol-14-demethylase 761
ocs promoter 661
OEP 34 401
oleosin
  heteromer 603

transcription 603
translation 603
oleosin-null 603
oligonucleotide primed *in situ* labelling 1039
organic matrix 633
Oryza sativa 623, 913
osmetic stress 751
ovaries 193
ovule 731, 897
ovules 49
oxalate 633
oxidative stress 981
oxygen evolving enhancer 715

P-locus 797
P1 vector 351
papillae 959
pathogen response 147
pathogenesis-related 147
pattern formation 731, 785
Petunia hybrida 677, 897
phaseolin 503
phenylalanine ammonia-lyase 859
phloem-specific 969
6-phosphofructo-2-kinase 461
phosphoribulokinase 535
phosphorylation 823
photoregulation 413, 969
photosynthesis 461, 483, 535
physical mapping 175
phytochelatin 391
phytochrome 413
Pisum sativum 513
plane alignment 785
plant
cell wall 17
chromosomes 1039
DNA 471
hormone action 37
transformation 1031
plasma membrane 165
plasmalemma 87, 835
plastid transformation 845
polyamines 261
polycistronic mRNA 845
Populus tremula x *P. alba* 141
position effects 649
post-transcriptional
control 287
regulation 37, 613, 1001
potato virus X 135, 1001, 1045
presequence 1015
programmed cell death (apoptosis) 25
proliferating cell nuclear antigen (PCNA) 877
proline 751
promoter 969
analysis 913
proprotein processing 235
protein
body 235
import 1015
kinase 897
phosphatase 823
tyrosine phosphatase 981
protoplasts 261
pulsed-field gel electrophoresis 175, 273
pumpkin 235

raphide 633
rDNA 273
rearrangement 687
regulation 503, 513
Renilla luciferase 1031
replicase-mediated resistance 1001
reproductive development 543
resistance gene 525
RFLP mapping 273
Rhizobium meliloti 939
ribosomes 287
rice 525, 613, 623, 877, 927
RNA splicing 613
RNase P 553
root 253
meristem 785
nodules 77
rRNA genes 273
RTBV 969
Ruta graveolens 491

S locus 429
SAMdc 281
scanning microscopy 17
seed protein 235
seedling development 715
shaggy/zw3 897
Shaker family 321
signal transduction 129, 297, 381, 939, 981
sink strength 97
site-specific recombination 649
Solanum tuberosum 97
soybean 949
spatial pattern 715
stable versus transient gene expression 503
stamen 897
starch branching enzymes 3
staurosporine 147
sterol 761
stomatal guard cells 129
storage organ development 3
stretch activated channels 565
sucrose synthase 97
sugar-induction 297
symplast domains 135
synchronized cell suspension 245
systemin 381

T-DNA 157
tagging 261
TAIL-PCR 351
tandem mass spectrometry 391
target sequences 471
targeting 1015
temporal pattern 715
TGA factors 359, 887
Ti plasmid 157
tobacco 157, 203, 261, 333, 577, 715, 761, 845
tomato 253, 333
cells 381
tonoplast 835

trans-dominant mutant 887
transcription factor 913
transcriptional regulation 913
transgenic
  plant (antisense) 535
  plants 49, 87, 297, 309, 661, 859
  potato 97
  rice 969
transient expression 441, 913
translation 845
transplastomic 845
transposase 441
  tagging 677
triazole 761
trichomes 49
tRNA
  Phe 553
  processing 553
  Tyr 553

uidA 845
ureide production 77

vacuole 235, 633
vascular development 859
vectorette 677
vegetative development 543
Vicia faba 1039
Vigna aconitifolia 77
virus
  movement 1045
  vectors 1045
visible markers 341
Vitis 633
voltage-gated 321

waxy gene 613
wounding 381

yeast artificial chromosome 175, 849

Zea mays 441